

INDEX MAPS.

T. 25N, R. 8 E. 2nd Mer.

	112	121	121	121	120	120						
124	6	143	5	138	4	134	3	131	2	127	1	120
	144	143	138	134	130	127						
123	7	143	8	137	9	134	10	130	11	126	12	119
	142	142	137	133	130	126						
123	18	142	17	137	16	133	15	129	14	126	13	119
	141	141	136	133	129	126						
123	19	144	20	136	21	132	22	129	23	125	24	119
	140	140	136	132	128	125						
122	30	140	29	135	28	132	27	128	26	125	25	119
	139	139	135	131	128	124						
122	31	138	32	135	33	131	34	127	35	124	36	118
	118	118	117	117	117	117						

Meanders 144.

Alcandora 144.

T. 26N, R. 8 E. 2nd Mer.

	154		153		153		153		153		152	
156	6	179	5	173	4	169	3	165	2	160	1	152
	179		178		173		169		164		160	
155	7	178	8	173	9	168	10	164	11	159	12	151
	178		177		172		168		163		159	
155	18	177	17	172	16	167	15	163	14	158	13	151
	177		176		171		167		162		158	
155	19	176	20	171	21	167	22	162	23	157	24	151
	176		175		171		166		162		157	
154	30	175	29	170	28	166	27	161	26	157	25	151
	174		174		170		165		161		156	
154	31	174	32	170	33	165	34	160	35	156	36	150
	150		150		149		149		149		149	

The figures on the lines refer to the page.

Township 25 North, Range 8 East. 3rd Mer. Ind^a

South Boundary.

Var. 5° 55' E.

West on S. Side of Sec. 36-

- 40.00 Let q. Sec. post from which
an Oak 10 in. diam. bears N 64° 30' W. dist. 8
a Buck 20 " " " N 70° E 13 " "
80.00 Let Post co. to Secs. 35 & 36 from which
a Buck 14 in. diam. bears N 75° 47' 35" W. dist. 8
an Ash 8 " " " S 70° E 22 " "
Own good farming land. ish. Sugar &

West on S. Side of Sec. 35-

- 40.00 Let q. Sec. post from which
a Buck 14 in. diam. bears N 71° E 36 W. dist. 8
a No 13 " " " S 64° W 37 " "
80.00 Let Post co. to Secs. 34 & 35 from which
a Hickory 14 in. diam. bears N 84° E 44 W. dist. 8
an Elm 18 " " " S 88° W 10 " "
Own land & same as on the last line -

West on S. Side of Sec. 34

- 40.00 Let q. Sec. Post from which
a Buck 7 in. diam. bears N 12° E 10 W. dist. 8
a Spruce 18 " " " S 12° W 8 " "
80.00 Let Post co. to Secs. 33 & 34 from which
a Buck 16 in. diam. bears N 32° E 26 W. dist. 8
a Sugar 24 " " " S 35° W 5 " "
Land & Timber same as on the last line -

West on S. Side of Sec. 33

- 40.00 Let q. Sec. Post from which
a Buck 8 in. diam. bears N 76° E 9 W. dist. 8
a Hickory 18 " " " S 76° W 7 " "
80.00 Let Post co. to Secs. 32 & 33 from which
a Buck 14 in. diam. bears N 20° E 22 W. dist. 8
a No 8 " " " S 35° W 24 " "

S. D. 5 N. - W. 8 E. Twp. 14 N. Indiana

Land & Timber Same as on the last line.

West on S. Side of Sec. 33

- 40.00 Set q. Sec. Post from which
an Ash 12 in. diam. bears S 55 W 14 W. dist. 8
an Oak 14 " " " N 70 E 21 " "
80.00 Set Post cor. to Secs. 31 & 33 from which
an Elm 13 in. diam. bears N 61 E 39 W. dist. 8
an Oak 12 " " " S 50 W 33 " "
Land & Timber Same as on the last line.

West on S. Side of Sec. 31

- 28.25 Intersect Right Bank of Mississinewa River
Course N. Set Post from which
an Buckeye 10 in. diam. bears S 38 W 14 W. dist. 8
an Ironwood 16 " " " N 13 E 6 " "
33.50 On River Set Post on left bank from which
an Ash 8 in. diam. bears S 38 W 13 W. dist. 8
an Redbud 6 " " " N 38 E 14 " "
40.00 Set q. Sec. Post from which
an Buck 14 in. diam. bears N 39 E 48 W. dist. 8
an Oak 18 " " " S 57 W 22 " "
79.75 To Township Corner.

East Boundary

Var. 6° 45' E.

North on E. Side of Sec. 36

- 11.90 an Buck 12 in. diam.
24.00 at Brook 12 W. wide Course E.
40.00 Set q. Sec. Post from which
an Buck 10 in. diam. bears S 58 W 10 W. dist. 8
an Ash 5 " " " N 33 E 10 " "
54.00 an Creek 30 W. wide Course E.
67.60 an Ash 18 in. diam.
80.00 Set Post cor. to Secs. 35 & 36 from which
an Ash 18 in. diam. bears S 57 W 30 W. dist. 8

119

of D. N. R. & Co. 3rd Mer. Indiana

a Buck 12 in. diam. bears N 67° 10' W. dist.
 Dry good farming land. Timber Buck.
 Sugar. Ash &c. Kudagrowth Spice.

North on E. Side of Sec. 35-

40.00 Set q. Sec. post from which
 a Buck 12 in. diam. bears S 20° E 47' W. dist.
 a Do 15 " " " N 59° 41' 9 " "

62.55 a Do 12 " " "

80.00 Set Post cu. to Sec. 24 & 25 from which
 an Ash 30 in. diam. bears S 46° 11' 7 W. dist.
 an Oak 10 " " " "

Land & Timber Same as on the last line -

North on E. Side of Sec. 34-

24.10 an Oak 14 in. diam.

40.00 Set q. Sec. post from which
 an Oak 12 in. diam. bears S 22° E 6 W. dist.
 a Do 18 " " " N 9° 41' 16 " "

80.00 Set Post cu. to Sec. 13 & 34 from which
 a Buck 18 in. diam. bears S 37° 11' 5 W. dist.
 an Ash 34 " " " S 22° E 45 " "

Land & Timber Same as on the last line.

North on E. Side of Sec. 13-

27.46 a Hickory 16 in. diam.

40.00 Set q. Sec. post from which
 an Ash 34 in. diam. bears S 36° E 22 W. dist.
 a Buck 12 " " " N 70° 11' 6 " "

71.00 Enter a Swamp corner E & N-

80.00 Dry land. Set Post cu. to Sec. 12 & 13 from which
 a Chokingash 10 in. diam. bears S 24° E 8 W. dist.
 a Hickory 14 " " " S 33° 11' 43 " "

Land & Timber Same as on the last line -

North on E. Side of Sec. 12

Sec. 25 N. - R. 8 E. Twp. 1 Mer. Indiana

30.00 Enter a Swamp corner E.
 40.00 Set q. Sec. Post from which
 a Hickory 12 in. diam. bears N 1 E 530 W. dir. X
 66.90 a Buck 10 in. diam. ~~10~~
 80.00 Set Post cor. to Sec. 14 & 12 from which
 a Buck 12 in. diam. bears S 19 E 50 W. dir. X
 a 18 " " " N 48 W 31 " "
 Over Swampy land.

North on E. Side of Sec. 1
 14.50 a Buck 14 in. diam.
 40.00 Set q. Sec. Post from which
 an Oak 12 in. diam. bears S 29 W 21 W. dir. X
 an Ash 8 " " " N 22 E 22 " "
 74.90 Set Post cor. to Township 25 & 26 North,
 Range 8 & 9 East from which
 an Oak 9 in. diam. bears N 5 W 17 W. dir. X
 a No 12 " " " S 27 E 10 " "
 Description of Land & Timber omitted.

North Boundary -

Var. 6° 00' E.
 West on S. Side of Sec. 36 T. 26 N. - R. 8 E.
 26.40 a Poplar 18 in. diam.
 40.00 Set q. Sec. Post from which
 an Oak 14 in. diam. bears S 77 E 38 W. dir. X
 a Buck 14 " " " S 75 W 14 " "
 80.00 Set Post cor. to Sec. 35 & 36 from which
 an Oak 10 in. diam. bears N 37 E 6 W. dir. X
 an Ash 10 " " " S 37 W 5 " "
 Over Swampy land.

West on S. Side of Sec. 35 T. 26 N. - R. 8 E.
 40.00 Set q. Sec. Post from which
 a Hickory 14 in. diam. bears N 55 E 25 W. dir. X
 a Buck 14 " " " S 36 W 26 " "

121

T. 25 N. - R. 8 E. 3rd Mer. Indiana

80.00 Let Post cu. to Secs. 34 & 35 from which
 a Hickory 14 in. diam. bears N 82 W. dist.
 of Buck 6 " " " S 19 W 24 " "
 Land & same as on the last line -

West on E. Side of Sec. 34 T. 26 N. - R. 8 E. -
 14.80 an Elm 24 in. diam.

40.00 Let q. Sec. post from which
 a Poplar 10 in. diam. bears S 13 E 7 W. dist. 3
 a Hickory 8 " " " " N 40 W 20 " "

80.00 Let Post cu. to Secs. 33 & 34 from which
 a Buck 9 in. diam. bears N 80 W. dist. 8
 a Do 8 " " " " N 76 E 14 " "
 Land & same as on the last line.

West on E. Side of Sec. 33 T. 26 N. - R. 8 E. -

21.20 a Buck 12 in. diam.

40.00 Let q. Sec. Post from which
 a Buck 16 in. diam. bears N 33 E 8 W. dist. 8
 a Do 10 " " " " N 75 W 25 " "

64.30 a Sugar 18 " "

80.00 Let Post cu. to Secs. 32 & 33 from which
 a Buck 10 in. diam. bears S 60 E 18 W. dist. 8
 a 18 " " " " N 33 W 35 " "

on good farming land. Timber Buckh.
 Sugar, Ash & Undergrowth & Pine -

West on E. Side of Sec. 32 T. 26 N. - R. 8 E. -

25.15 a Hickory 12 in. diam.

40.00 Let q. Sec. Post from which
 a Buck 9 in. diam. bears S 35 E 42 W. dist. 8
 a Do 15 " " " " N E 18 " "

64.60 a Sugar 20 " "

80.00 Let Post cu. to Secs. 31 & 32 from which
 a Buck 12 in. diam. bears N 64 E 12 W. dist. 8
 a Do 8 " " " " S 39 W 28 " "

T. 25 N. - R. 8 E. Twp. 11 N. Indiana

Land & Timber Same as on the last line -

West on E. Side of Sec. 31 T. 26 N. - R. 8 E.
 40.00 Let g. Sec. post from which
 a Sugar 20 in. diam. bears N 49 E 18 W. dir. 4
 an Ironwood 5 " " " S 57 W 11 " "
 44.00 a Creek 30 ft. wide corner S.
 62.10 a Buck 20 in. diam.
 75.00 To Township Corner -
 Description of Land & Timber Omitted -

West Boundary -

Var. 6° 30' E.
 North on E. Side of Sec. 36 T. 25 N. - R. 7 E.
 29.70 a Buck 13 in. diam.
 40.00 Let g. Sec. post from which
 a Buck 10 in. diam. bears S 39 E 21 W. dir. 4
 an Ash 5 " " " N 8 E 20 " "
 68.55 a Do 12 " "
 80.00 Let post to Sec. 25 & 36 from which
 a Buck 8 in. diam. bears S 17 W 37 W. dir. 4
 a Do 14 " " " N 73 W 26 " "
 One good farming land. Timber Buck. Sugar,
 Ash & undergrowth Spruce

North on E. Side of Sec. 25 T. 25 N. - R. 7 E.
 24.43 a Sugar 18 in. diam.
 40.00 Let g. Sec. post from which
 a Buck 13 in. diam. bears N 41 E 25 W. dir. 4
 an Elm 10 " " " N 73 W 15 " "
 70.00 To Mississinewa River & set post from which
 an Elm 18 in. diam. bears N 48 E 6 W. dir. 4
 a Buckeye 10 " " " S 46 W 14 " "
 73.66 Over River & set post from which
 an Oak 20 in. diam. bears N 88 W 21 W. dir. 4
 an Ironwood 8 " " " S 55 E 5 " "

123

T. 25 N. R. 8 E. 2nd Mer. Ind^a

80.00 Let Post Co. to Sec. 24 & 25 from which
 a Buck 12 in. diam. head D 31 E 53 W. dir. 9
 a Sugar 20 " " " N 25 W 35 " "
 Sand & Timber Same as on the last line.

North on E. Side of Sec. 24 T. 25 N. R. 7 E.

24.80 a Buck 14 in. diam.
 40.00 Let q. Sec. post from which
 an Elm 20 in. diam. head S 68 W 11 W. dir. 9
 a Buck 7 " " " D 87 E 10 " "
 80.00 Let Post Co. to Sec. 13 & 24 from which
 an Oak 20 in. diam. head S 23 W 6 W. dir. 9
 an Elm 8 " " " N 8 E 37 " "
 Sand & Timber Same as on the last line.

North on E. Side of Sec. 13 T. 25 N. R. 7 E.

29.50 a Buck 14 in. diam.
 40.00 Let q. Sec. post from which
 a Sugar 18 in. diam. head S 44 W 34 W. dir. 9
 a Buck 8 " " " N 55 E 18 " "
 55.20 a Sugar 14 " "
 80.00 Let Post Co. to Sec. 12 & 13 from which
 a Buck 14 in. diam. head D 18 E 53 W. dir. 9
 an Ironwood 8 " " " N 65 W 25 " "
 Sand & Timber Same as on the last line.

North on E. Side of Sec. 12 T. 25 N. R. 7 E.

40.00 Let q. Sec. post from which
 a Sugar 16 in. diam. head S 41 E 29 W. dir. 9
 a Buck 12 " " " N 49 W 23 " "
 74.00 a Creek 30 W. wide Course N. W.
 80.00 Let Post Co. to Sec. 14 & 12 from which
 a Hornbeam 8 in. diam. head S 5 E 12 W. dir. 9
 a Buck 10 " " " N 5 W 21 " "
 Sand & Timber Same as on the last line.

T. 25 N. - R. 8 E. 2nd Mer. Indiana

North on E. Side of Sec. 1 T. 25 N. - R. 7 E -

39.00 a Creek 3¹/₂ M^{ts} wide Corn N.

40.00 Set q. Sec. post from which

a Buck 10 in. diam. bears N 80 W 15 M^{ts} dist. &

a Do 30 " " " S 62 E 22 " "

75.10 Set post cor. to Townships 25 & 26 North.

Ranges 7 & 8 East from which

a Buck 12 in. diam. bears S 47 E 7 M^{ts} dist. &

an Ironwood 8 " " " N 17 W 14 " "

Land & Timber same as on the last line -

April 4th 1820 Surveyed by

James H. Mc Donald D.S.

Subdivisions

Var. 6th 45th E -

North Return Secs. 35 & 36.

15.00 a Buck 18 in. diam.

40.00 Set q. Sec. post from which

a Sugar 24 in. diam. bears N 10 E 17 M^{ts} dist. &

a Buck 14 " " " S 25 W 5 " "

65.40 a Hickory 10 " "

80.00 Set post cor. to Secs. 25, 26, 35 & 36 from which

a Hickory 15 in. diam. bears N 77 E 29 M^{ts} dist. &

a W. Oak 10 " " " S 60 W 10 " "

Land cont. 3rd rate. Hickory, Buck, W. Oak,

Ash & Spruce, Prickly Ash &

East on Random Return Secs. 25 & 36 -

40.00 Set temp. q. Sec. post -

65.00 a Stream 12 M^{ts} wide Corn S.

80.28 Entered E. Bound. line 100 M^{ts} N. of Post -

Land, Timber & same as on the West line -

West corner Return Secs. 25 & 36 -

40.14 Set q. Sec. Post at same dist. from which

a Hickory 10 in. diam. bears S 50 E 16 M^{ts} dist. &

125

Sec 25 N. - R. & E. T. M. Indiana

a R. Oak 12 in. diam. bears N 28 W 14 W. dist.
80.28 To Sec. Corner.

North Return Secs 25 & 26

30.00 an Ash 14 in. diam.
40.00 Set q. Sec. Post from which
a Beech 12 in. diam. bears S 12 W 14 W. dist. 7
a Do 12 " " " N 10 E 7 " "
55.30 a R. Oak 14 " "
80.00 Set Post Cu. to Secs 23, 24, 25 & 26 from which
a Beech 14 in. diam. bears N 60 E 8 W. dist. 8
a Do 14 " " " S 63 W 26 " "
Land very flat & swampy - Ash, Beech &
November 17th 1823.

East or Random Return Secs 24 & 25 -

40.00 Set temp. q. Sec. Post -
80.10 Intersect E. Bound. Line 156 W. S. of post -
Land & Timber same as on the last line.

West Corner Return Secs 24 & 25 -

40.05 Set q. Sec. Post at a map dist. from which
a Beech 18 in. diam. bears S 70 E 12 W. dist. 8
a Do 8 " " " N 30 W 18 " "
80.10 To Sec. Corner.

North Return Secs 23 & 24

25.00 a Hickory 10 in. diam.
40.00 Set q. Sec. Post from which
a Hickory 10 in. diam. bears S 15 W 6 W. dist. 8
an Ash 5 " " " N 40 W 33 " "
34.40 a Hickory 15 " "
80.00 Set Post Cu. to Secs 13, 14, 23 & 24 from which
a Poplar 10 in. diam. bears S 85 E 25 W. dist. 8
a Beech 10 " " " S 66 W 9 " "
Land level & swampy - Timber as before -

Sec 25 N. 40. 8 E. 2nd Mer. Indiana

East on Random between Secs 13 & 24
 40.00 Let temp. q. Sec. post.
 79.90 Intersect E. Bound. line 300 W. N. of post.
 Land level & swampy - Timber as before -

West Corner between Secs 13 & 24 -
 39.95 Let q. Sec. post at average dist. from which
 a Buck 14 in. diam. was 145 N 20 W. dir. &
 a W. Oak 18 " " " S 70 E 12 " "
 79.90 To Sec. Corner.

North Between Secs 13 & 14 -
 15.80 a Hickory 15 in. diam.
 40.00 Let q. Sec. post from which
 a Poplar 20 in. diam. was 160 N 20 W. dir. &
 a Buck 12 " " " S 40 E 16 " "
 56.50 a Do 14 " " "
 80.00 Let post on the Secs 11, 12, 13 & 14 from which
 a Buck 15 in. diam. was 145 E 10 W. dir. &
 a Do 20 " " " S 70 N 40 " "
 Swampy land.

East on Random between Secs 12 & 13 -
 40.00 Let temp. q. Sec. post.
 80.48 Intersect E. Bound. line 400 W. N. of post.
 Land very swampy -

West Corner between Secs 12 & 13 -
 40.24 Let q. Sec. post at average dist. from which
 a Buck 18 in. diam. was 130 E 12 W. dir. &
 a Do 12 " " " S 20 N 12 " "
 80.48 To Sec. Corner.

North Between Secs 11 & 12
 35.00 a Hickory 14 in. diam.
 40.00 Let q. Sec. post from which -

127

W 25 N. - R. 8 E. T² Mc. Indiana

a Sugar 5 in. diam. V. 10 W 7 W. dist. 8
 a Beech 10 " " " N 60 E 18 " "
 55.70 an Elm 28 " "
 80.00 Set post ca. to Sec^s 1, 2, 11 & 12 from which
 a B. Oak 30 in. diam. V. 10 W 26 W. dist.
 a No 6 " " " N 60 E 34 " "
 Sand rolling 2nd rate. Timber Spruce, Elm,
 Oak, Walnut &c

East on Random between Sec^s 1 & 12 -

40.00 Set temp. g. Sec. post.
 80.65 Intersect E. Bound. line 350 W. N. of post.
 Sand Swamp & prairie.

West Corner between Sec^s 1 & 12 -

40.32 Set g. Sec. post at average dist. from which
 In Prairie - No bearings near - no possi-
 bility of raising mound as the water
 covers the surface.
 80.65 To Sec. corner.

North between Sec^s 1 & 2

18.15 a Beech 18 in. diam.
 40.00 Set g. Sec. post from which
 a Beech 18 in. diam. V. 10 W 26 W. dist. 8
 a Sugar 18 " " " S 30 E 30 " "
 55.28 a Spruce 20 " "
 71.12 Intersect N. Bound. line 195 W. N. of post -
 when Set post ca. to Sec^s 1 & 2 from which
 an Elm 6 in. diam. V. 10 W 14 W. dist. 8
 a Sugar 4 " " " N 30 E 14 " "
 Sand lent 2nd rate. Spruce, Beech, Ash, Elm &c
 November 18th 1823 -

North between Sec^s 34 & 35

1.20 a Beech 7 in. diam.

25 N. W. 8 E. 2nd Mo. Indiana

40.00 Set q. Sec. post from which
at B. Oak 10 in. diam. bears N 6 E 15 W. dist. 1/2
a Hickory 14 " " " S 16 W 15 " "
44.08 at Buck 18 " "
80.00 Set post cor. to Secs. 26, 27, 34 & 35 from which
at Buck 14 in. diam. bears N 28 E 12 W. dist. 1/2
a Do 16 " " " S 43 E 15 " "
Land lent, inclining to cor. Timber
Buck Hickory. Ash &c.

East on Random between Secs. 26 & 35-

40.00 Set temp. q. Sec. post-
78.55 Intersect Md. line 359 W. N. of post-
Land inclining to cor.

West Corner between Secs. 26 & 35-

39.77 Set q. Sec. post at angle dir. from which
at Buck 20 in. diam. bears S 16 E 21 W. dist. 1/2
a Do 15 " " " N 64 W 18 " "
78.55 To Sec. Corner.

North Return Secs. 26 & 27-

6.60 at Buck 12 in. diam.
40.00 Set q. Sec. post from which
an Elmwood 5 in. diam. bears S 74 E 18 W. dist. 1/2
at Buck 24 " " " N 85 W 28 " "
55.37 an Ash 20 " "
80.00 Set post cor. to Secs. 22, 23, 26 & 27 from which
at Buck 12 in. diam. bears S 2 W 16 W. dist. 1/2
a Do 16 " " " East 18 " "
Land wet & poor - Timber Do-

East on Random between Secs. 23 & 26-

40.00 Set temp. q. Sec. post-
79.00 Intersect Md. line 256 W. N. of post-
Land level & cor.

129

S 25 N. R. & E. 2nd Mer. Indiana

West Corner between Secs. 23 & 26.

39.50 Set q. Sec. post at a map dist. from which
a Hickory 6 in. diam. has South 5 W. dist. &
a No 11 " " " NW 34 " "

79.00 To Sec. Corner.

North Return Secs. 22 & 23.

35.62 Sugar 12 in. diam.

40.00 Set q. Sec. post from which
an Ash 18 in. diam. has NW 20 W. dist. &
a No 15 " " " NE 19 " "

42.62 an Elm 12 " "

80.00 Set post cu. to Secs. 14, 15, 22 & 23 from which
an Ironwood 6 in. diam. has N 85 E 19 W. dist.
a No 6 " " " S 74 W 19 " "
Sand lent, inclining to west.

East on Random between Secs. 14 & 23.

40.00 Set temp. q. Sec. post.

77.62 Intersect W. line 364 W. S. of post.
Sand much broken. — Willow Swamp

West Corner between Secs. 14 & 23.

38.87 Set q. Sec. post at a map dist. from which
an Ash 5 in. diam. has S 75 E 11 W. dist. &
a No 5 " " " S 78 W 5 " "

77.62 To Sec. Corner November 17th 1823.

North Return Secs. 14 & 15.

.45 a Sugar 8 in. diam.

40.00 Set q. Sec. post from which
an Elm 15 in. diam. has N 37 E 16 W. dist. &
a No 10 " " " S 63 W 35 " "

33.32 a W. Oak 24 " "

80.00 Set post cu. to Secs. 10, 11, 14 & 15 from which
a Buck 8 in. diam. has N 73 E 21 W. dist. &

of 25 N. W. & E. 2nd Mer. Indiana

a Buck 6 in. diam. was N 66 W 8 W. dist.
 Sand rolling from 2nd rate.

East on Random between Secs. 11 & 14 -

40.00 Let temp. q. Lee. post.

76.68 Intersect M. line 5.59 W. S. of Post.
 Poor land

West Corner between Secs. 11 & 14 -

38.34 Let q. Lee. post at average dist. from which
 a Buck 8 in. diam. was N 7 E 16 W. dist. 8
 a No 18 " " " N 42 W 5 " "

76.68 To Lee. Corner.

North Return Secs. 10 & 11 -

1.20 a Buck 20 in. diam.

2.90 a Branch 10 W. wide Creek E.

40.00 Let q. Lee. post from which

a Maple 18 in. diam. was S 50 E 31 W. dist. 8
 a Hickory 5 " " " N 80 W 11 " "

42.62 an Elm 12 " "

80.00 Let Post Ca. to Secs. 2, 3, 10 & 11 from which

a Buck 18 in. diam. was S 5 E 16 W. dist. 8
 a Hickory 15 " " " N 5 E 12 " "

Sand cut & swampy - Timber Bucks
 Ash, Oak, Maple &c

East on Random between Secs. 2 & 11 -

40.00 Let temp. q. Lee. post.

77.00 Intersect M. line 493 W. S. of post.
 Sand cut & wet.

West Corner between Secs. 2 & 11 -

38.50 Let q. Lee. post at average dist. from which

a Buck 9 in. dia. was S 58 E 8 W. dist. 8

an Ironwood 3 " " " West 9 " "

W 95 N. - W. 8 E. 2nd Mer. Indiana

77.00 To Sec. Corner.

North Return Secs. 2 & 3 -

5.87 on Ash 14 in. diam.

46.00 Set q. Sec. post from which

a Buck 14 in. diam. bears N 77 E 16 W. dir. 8

a Do 9 " " " 87 17 36 " "

72.88 on Elm 20 " "

74.95 Intersect N. Bound. line 16 W. 47 N. of Post -
where Set Post Cu. to Secs. 2 & 3 from which

a Buck 8 in. dia. bears S 6 E 16 W. dir. 8

a Box Elder 8 " " " 85 47 31 " "

Land inclining to west -

November 18th 1823.

North Return Secs. 33 & 34 -

46.00 Set q. Sec. Post from which

a Hickory 3 in. diam. bears S 84 47 8 W. dir. 8

a N. Oak 8 " " " 116 E 11 " "

80.00 Set Post Cu. to Secs. 27, 28, 33 & 34 from which

an Elm 15 in. diam. bears S 28 E 16 W. dir. 8

an Ironwood 14 " " " 112 47 22 " "

Land level, Part inclining to west -

Timber Buck, Ash, Hickory, Sugar, N. Oak

and growth Spruce, Ironwood &c

East on Random Return Secs. 27 & 34

46.00 Set q. Sec. post from which (Temp.)

80.00 Intersect N. line 24 W. 21 N. of Post -

West Corner Return Secs. 27 & 34

46.00 Set q. Sec. post at same dir. from which

a Sugar 15 in. dia. bears N 81 E 7 W. dir. 8

a Do 14 " " " 174 47 13 " "

80.00 To Sec. Corner.

W 25 N. W. 8 E. T² Sec. Indiano

North Return Sects 27 & 28.

6.75 at Branch 5 W. wide Corn N. N.

18.75 a Do 10 " " " N.

34.73 at Oak 40 in. diam.

40.00 Let q. Sec. post from which

a Buck 12 in. diam. bears S 67 W 22 W. dist. 9

a Logwood 5 " " " N 69 E 16 " "

44.41 at Hickory 24 " "

80.00 Let post cu. to Sects 21, 22, 27 & 28 from which

a Logwood 6 in. dia. bears S 21 E 16 W. dist. 9

a Oak 6 " " " N 21 W 28 " "

Land lent 2nd rate. very brushy. fallen timber.

East mth Random Return Sects 22 & 27.

40.00 Let temp. q. Sec. Post

80.12 Intersect W. line 158 W. N. of post.

Bad fallen timber

West Corner Return Sects 22 & 27.

40.06 Let q. Sec. Post at same q. dist. from which

a Spruce 5 in. diam. bears S 82 E 8 W. dist. 9

a Do 5 " " " N 30 E 13 " "

80.12 To Sec. Corner

North Return Sects 21 & 22

21.81 a Spruce 20 in. diam.

37.30 at Branch 5 W. wide Corn N.

40.00 Let q. Sec. post from which

a W. Oak 12 in. diam. bears N 75 W 21 W. dist. 9

a Buck 10 " " " N 57 E 11 " "

49.12 a Sugar 20 " "

61.00 at Branch 10 W. wide Corn S. N.

80.00 Let Post cu. to Sects 15, 16, 21 & 22 from which

a Buck 20 in. diam. bears N 80 E 25 W. dist. 9

a Do 12 " " " S 53 W 23 " "

1st 1/2 mile lent. West's rolling good 2nd rate land

133

S. 25 N. - R. 8 E. T^h. 2^d. Ma. Indiana

East on Random between Secs. 15 & 22 -

25.00 at Branch 10 W. wide Corner S.W.

40.00 Set temp. q. Sec. Post.

80.50 Enter on Rd. line 223 W. N. of Post -

Land, 1st 1/2 mile rolling 2^d rate. Sec 1/2 in
level, inclining to east. 3^d rate. Timber Buck,
Ash, Sugar, Hickory Oak, Spruce, Ironwood &c.

West corner between Secs. 15 & 22 -

40.25 Set q. Sec. Post at a mag. dir. from which
a W. Oak 14 in. diam. has 56 N 30 W. dir. &
a Buck 24 " " " N 57 W 30 " "

80.50 To Sec. Corner

North between Secs. 15 & 16 -

3.50 a W. Oak 30 in. dia.

31.64 a Stream 25 W. wide Corner S.W.

40.00 Set q. Sec. Post from which

a Sugar 18 in. diam. has 167 N 4 W. dir. &
a W. Oak 8 " " " N 2 E 34 " "

44.33 a Buck 18 " "

80.00 Set Post on to Sec. 9. 10. 15 & 16 from which

a W. Oak 15 in. diam. has 122 E 26 W. dir. &
a Sugar 6 " " " West 21 "

Land rolling 2^d rate. Timber Buck, Sugar,
Oak, Hickory, Ash, Ironwood, Spruce &c.

East on Random between Secs. 10 & 15 -

9.50 at Branch 8 W. wide Corner S.W.

40.00 Set temp. q. Sec. Post.

79.25 at Branch 8 W. wide Corner N.E.

80.62 Enter on Rd. line 164 W. N. of Post -

Land rolling poor 2^d rate -

West corner between Secs. 10 & 15

40.31 Set q. Sec. Post at a mag. dir. from which

W 25 N. - T. 8 E. T² Sec. Indiana

a Poplar 12 in. dia. near NE 17 W. dist.
 Vamp low 2nd rate. Timber Beech. Ash. Hickory
 Sugar. Poplar. Oak - Spruce. Ironwood &c.

North Return Sec. 32 & 33.

11.50 a Buck 18 in. diam.

22.00 a Stream 8 W. wide Corner W.

40.00 Let q. Sec. Post from which
 an Ironwood 4 in. diam. near N 65 E 4 W. dist. &
 an Ash 14 " " " 470 N 30 " "

62.00 a Stream 6 W. wide Corner S. W.

65.00 a Buck 14 in. diam.

80.00 Let Post Cu. to Sec. 28 29. 32 & 33 from which
 a Water Buck 6 in. diam. near N 20 W 15 W. dist. &
 a Buck 20 " " " 175 E 6 " "

Sent good 2nd rate land. Timber Sugar. Beech.
 ash. Hickory, Oak &c.

East or Random Return Sec. 28 & 33.

5.50 a Stream 6 W. wide Corner E

40.00 Let temp. q. Sec. Post.

80.13 Return N. W. Line 364 W. N. of Post.
 Land rolling 2nd rate.

West Corner Return Sec. 28 & 33.

40.06 Let q. Sec. Post at a mag. dist. from which
 a Buck 20 in. dia. near N 57 W 10 W. dist. &
 an Ash 3 " " " 126 E 12 " "

80.12 To Sec. Corner.

North Return Sec. 28 & 29.

30.70 a Buck 18 in. diam.

40.00 Let q. Sec. Post from which

a Buck 14 in. diam. near N 80 W 23 W. dist. &

a Do 18 " " " 175 E 24 " "

80.00 Let Post Cu. to Sec. 20. 21. 28 & 29 from which

W 25 N. R. 8 E. T^{2d} Mer. Indiana

a Spruce 36 in. diam. near NW 1/4 dist. 9
a Buck 15 " " " " " " " " " " " "
Sand & timber as before -

East on Random Return Sec. 21 & 28 -

40.00 Let temp. gr. Lec. Post.

80.30 Enterer M. line 150 W. S. N. of Post.
Sand & timber as before -

West Corner Return Sec. 21 & 28.

40.15 Let gr. Lec. Post at same dist. from which
a Buck 20 in. diam. near S 1/4 E 20 W. dist. 9
a Do 18 " " " " " " " " " " " "

80.30 To Lec. Cam -

North Return Sec. 20 & 21 -

16.50 a Stream. 10 ft. wide near S.W.

28.00 a Sugar 14 in. diam.

39.50 a Stream 6 W. wide near W.

40.00 Let gr. Lec. Post. from which

a Box Elder 7 in. diam. near S 1/4 N 1/4 W. dist. 9
a White Buck 3 " " " " " " " " " " " "

65.50 a Buck 17 " " " " " " " " " " " "

81.00 Let Post on to Sec. 16, 17, 20 & 21 from which
a Buck 12 in. diam. near NW 1/4 S 1/4 W. dist. 9
a Do 4 " " " " " " " " " " " "

Sand & timber as above.

East on Random Return Sec. 16 & 21 -

40.00 Let temp. gr. Lec. Post.

59.50 a Stream 6 W. wide near S.W.

80.90 Enterer M. line 50 W. S. N. of Post -

Sand & timber as above

West Corner Return Sec. 16 & 21 -

40.45 Let gr. Lec. Post at same dist. from which.

137

J. D. S. N. R. & E. I. Indiana

a Oak 5 in. diam. has 177 W 16 W. dist. 8
 a Buck 15 " " " 130 E 12 " "
 89.90 To Lee. Corner.

North Return Lec. 16 & 17.

15.00 a Hickay 14 in. diam.
 40.00 Let q. Lee. Post from which
 a Redwood 5 in. diam. has 127 E 16 W. dist. 8
 a Buck 18 " " " 127 W 14 " "
 60.45 a Oak 24 " "
 80.00 Let Post ca. to Lec. 8, 9, 16 & 17 from which
 a Oak 28 in. diam. has 165 E 26 W. dist. 8
 a Buck 8 " " " 175 W 20 " "
 Sand & Timber as before.

East on Random Return Lec. 9 & 16.

40.00 Let temp. q. Lee. Post.
 80.90 Enter at Mt. line 335 W. N. of Post.
 Sand & Timber same as on the last line
 November 16th 1823.

West Corner Return Lec. 9 & 16.

40.45 Let q. Lee. Post at an ag. dist. from which
 a Buck 20 in. diam. has 180 E 18 W. dist. 8
 a Oak 10 " " " 18 W 15 " "
 80.90 To Lee. Corner.

North Return Lec. 8 & 9

24.30 a Hickay 12 in. diam.
 40.00 Let q. Lee. Post from which
 an Ash 8 in. diam. has 160 W 30 W. dist. 8
 a Oak 12 " " " 130 E 7 " "
 60.43 a Sugar 18 " "
 80.00 Let Post ca. to Lec. 4, 5, 8 & 9 from which
 an Elm 14 in. diam. has 124 W 14 W. dist. 8
 a Buck 10 " " " 114 W 20 " "

Oct 25 N. R. & E. 2nd Mer. Indiana

Land lent 2nd rate.

East on Random between Secs. 44 & 9 -

40.00 Set temp. g. Sec. post

79.00 Intersect N. line 111 W. N. of post

West corner between Secs. 44 & 9 -

39.50 Set g. Sec. post at arnagh div. from which
a Buck 18 in. diam. bears West 8 W. dist. 7
an Elm 7 " " " S 78 E 10 " "

79.00 To Sec. Corner.

North between Secs. 44 & 5

34.35 a B. Oak 40 in. diam.

40.00 Set g. Sec. post from which

a Buck 18 in. diam. bears S 38 W 10 W. dist. 7

a Do 30 " " " S 33 E 18 " "

53.50 a Sugar 24 " "

66.50 Intersect N. Bound. line. 120 W. E. of post.

where set post cu. to Sec. 44 & 5 from which

an Ironwood 5 in. diam. bears N 35 E 14 W. dist. 8

a Buck 20 " " " S 50 W 44 " "

Land lent 2nd rate. Timber as before -

November 26th 1823.

North between Secs. 31 & 32

19.75 a Branch 20 W. wide Corn N.

26.62 a Buckeye 20 in. diam.

40.00 Set g. Sec. post from which

a Sugar 24 in. diam. bears N 3 E 25 W. dist. 7

a Buck 18 " " " S 16 W 17 " "

80.00 Set post cu. to Secs. 29, 30, 31 & 32 from which

a Beech 14 in. diam. bears S 30 W 37 W. dist. 7

a Do 11 " " " S 10 W 13 " "

1st 1/2 mile rolling. last 1/2 lent good 2nd rate.

Buck. Ash. Sugar. Spruce. Walnut. Hickory. Oak &c

N. 25 N. R. & E. 2nd Sec. Indiana

angth Spec. Ironwood &c

East on Random Return Sec. 29 & 32

12.00 a Stream 8 W. side corner N.

40.00 Set temp. g. Sec. post.

79.00 Intersect N. line at post
Sand rolling & poor.

West Corner Return Sec. 29 & 32 -

39.58 Set g. Sec. post at average dist. from which
a Buckeye 15 in. diam. bears N 70 W 16 W. dist.
a Beech 10 " " " S 70 E 18 " "

79.00 To Sec. corner.

West Return Sec. 30 & 31

2.50 a Stream 6 W. side corner S.W.

18.84 To Mississineewa River West Post on E. Side
from which

an Elm 30 in. diam. bears N 40 E 34 W. dist.

a Do 15 " " " S 69 E 29 " "

32.44 On River West Post on N. Side from which
an Ash 9 in. diam. bears S 26 W 23 W. dist. &

a Do 6 " " " N 8 W 26 " "

Bed of River entirely limestone strata

32.60 a Sugar 8 in. dia.

40.00 Set g. Sec. post from which

a Buck 15 in. diam. bears S 28 W 16 W. dist.

a W. Buck 5 " " " N 24 W 28 " "

44.64 a Buck 16 " "

78.50 Intersect N. Bound line S 28 W. S. of post.

where set post cor. to Sec. 30 & 31 from which
an Ironwood 5 in. diam. bears S 16 W 20 W. dist.

a Buck 4 " " " N 6 W 22 " "

Sand lent 2nd rate. Timber Buck. Ash. Sugar,
Hickory, Elm, Oak, Spec. Ironwood &c -

25 N. R. & E. 2nd Mer. Indiana

North Between Secs. 29 & 30

- 4.50 a Stream 10 W. wide Corn S. W.
 18.00 a Buck 24 in. diam.
 40.00 Set g. Sec. Post from which
 a Buckeye 14 in. diam. head S 25 E 16 W. dir. }
 a W. Buck 5 " " " N 53 W 25 " " }
 54.50 a Stream 35 W. wide Corn S. W.
 56.00 an Elm 24 in. diam.
 80.00 Set Post on. to Secs. 19, 20, 29 & 30 from which
 a Dogwood 6 in. diam. head N 33 E 25 W. dir. }
 an Ash 50 " " " N 60 W 60 " " }
 Land broken, Soil good. Timber Beech,
 Ash, Sugar, Hickory & Spruce, Ironwood &c

West Between Secs. 19 & 30

- 3.10 a Buck 15 in. diam.
 10.88 a Branch 8 W. wide Corn S.
 37.00 To Mississinewa River Set Post on East
 Side from which
 a Sycamore 22 in. diam. head N 72 E 55 W. dir.
 a Buckeye 12 " " " N 31 E 73 " "
 River Runs West with the line.
 52.52 On River Set Post on N. Side from which
 a Maple 11 in. diam. head N 20 W 49 W. dir. }
 a B. Oak 20 " " " N 64 W 74 " " }
 77.65 Intersect N. Bound. line 339 W. S. of post.
 when Set Post on. to Secs. 19 & 30 fr. which
 an Ash 30 in. diam. head N 70 E 19 W. dir. }
 a Buck 10 " " " N 11 E 27 " " }
 Much limestone on margin of River -
 Land extremely broken -

East on Rand on between Secs. 20 & 29

- 40.00 Set temp. g. Sec. Post from which
 40.50 a Stream 15 W. wide Corn S. W.
 46.50 Do 15 " " " N.

141

T. 25 N. R. 8 E. 2nd Mer. Indiana

50.00 Dam Stream 15 W. side Corn. S.
 79.80 Intersect N. line 15 W. S. of Post.
 Land very excellent.

West Corner between Secs. 30 & 29.
 39.90 Set q. Sec. Post at average dir. from which
 an Elm 12 in. diam. bears S 55 E 14 W. dir. }
 an Ash 10 " " " N 30 W 14 " " }
 79.80 To Sec. Corner.

North between Secs. 19 & 20
 18.20 an Ash 24 in. diam.
 40.00 Set q. Sec. Post from which
 a Hickory 24 in. diam. bears S 55 W 6 W. dir. }
 a Do 20 " " " S 60 E 19 " " }
 56.45 a Buck 14 " "
 80.00 Set Post Cor. to Secs. 17, 18, 19 & 20 from which
 a Buck 12 in. diam. bears N 40 E 11 W. dir. }
 a Do 16 " " " S 37 W 23 " " }
 Land rolling 2nd rate. Sugar. Elm. Buck. Hickory.

East or Random between Secs. 17 & 20.
 40.00 Set temp. q. Sec. Post.
 78.50 Intersect N. line 36 W. S. of Post.
 Land best 2nd rate. Buck. Ash. Hickory &c

West Corner between Secs. 17 & 20.
 39.25 Set q. Sec. Post at average dir. from which
 an Ash 15 in. dia. bears N 78 E 16 W. dir. }
 a Buck 10 " " " N 75 W 9 " " }
 78.50 To Sec. Corner.

West between Secs. 18 & 19
 .90 a Hickory 18 in. diam.
 16.10 a Stream Corn. S. W.
 40.00 Set q. Sec. Post from which -

T. 25 N. R. 8 E. 2nd M. Indiana

an Ironwood 4 in. diam. bears N10E 3 1/2 W. dist. 5
 a Beech 10 " " " " 16 E 29 " "
 76.75 Intersect N. Bound. line 225 W. S. of post
 when set post ca. to Sec. 18 & 19 from which
 a Bur Oak 14 in. diam. bears N38E 5 W. dist. 8
 a Do 6 " " " " 37 N 43 " "
 1 1/2 mile lev. last 1/2 mountainous ^{hills} Run.

North Between Sec. 17 & 18

31.50 a Beech 15 in. diam.
 40.00 Set gr. Sec. post from which
 a Bur Oak 14 1/2 in. diam. bears N10E 2 1/2 W. dist. 8
 a Beech 14 " " " " N37 N 24 " "
 55.25 a Do 18 " "
 80.00 Set post ca. to Sec. 7, 8, 17 & 18 from which
 a Beech 18 in. diam. bears N67 W 20 W. dist. 8
 an Elm 6 " " " " 70 N 6 " "
 Sand & Silt as before -

East on Random between Sec. 8 & 17 -

40.00 Set temp. gr. Sec. post.
 79.80 Intersect N. line 110 W. S. of post -
 Sand & Silt same as on the last line -

West Corner between Sec. 8 & 17 -

39.90 Set gr. Sec. post at a mag. dist. from which
 a Beech 5 in. diam. bears N45 E 14 W. dist. 8
 a Do 10 " " " " N50 N 14 " "
 79.80 To Sec. Corner.

West Between Sec. 7 & 18 -

40.00 Set gr. Sec. post from which
 a Sugar 18 in. diam. bears S23 N 39 W. dist. 8
 a Beech 12 " " " " N37 E 24 " "
 74.70 Intersect N. Bound. line 133 W. S. of post
 when set post ca. to Sec. 7 & 18 from which

143

S. 25 N. - R. 8 E. T² Ma. Indiana

an Ironwood 5 in. diam. bears N 50 W 28 W. dist. 3
 a Buck 10 " " " S 5 W 14 " "
 Land level, excellent 2nd rate. Timber Ash.
 Elm. Sugar. Gum. Buck. Walnut Buckeye
 Hickory, Spruce, Poplar, Spice &c -

North Return Sec. 7 & 8 -

26.57 a Buck 10 in. diam.
 37.60 a Branch 12 W. wide Course N.W.
 40.00 Set q. Sec. post from which
 a Buck 6 in. diam. bears N 54 E 21 W. dist. 3
 a Do 10 " " " S 89 W 13 " "
 46.60 a Do 18 " "
 80.00 Set post ca. to Sec. 5, 6, 7 & 8 from which
 a Buck 10 in. diam. bears N 2 W 23 W. dist. 3
 a W. Buck 7 " " " N 60 E 28 " "
 Land rolling 2nd rate. Buck. Ash. Sugar.
 Oak &c. Spruce. Spice. Buck &c -

East on Random Return Sec. 5 & 8 -

40.00 Set temp. q. Sec. post -
 81.60 Intersect N. line 125 W. S. of post -
 Land & Timber same as before

West Corner between Sec. 5 & 8 -

40.80 Set q. Sec. post at angle dist. from which
 a Buck 14 in. diam. bears N 0 W 5 W. dist. 4
 a Do 8 " " " N 10 E 5 " "
 84.60 To Sec. Corner.

North Return Sec. 5 & 6 -

40.00 Set q. Sec. post from which
 a B. Oak 18 in. diam. bears N 7 E 48 W. dist. 3
 a Sugar 26 " " " S 33 W 16 " "
 61.00 a Branch 5 W. wide Course N.W.
 73.06 Intersect N. Round. line 434 W. E. of post -

25 N. R. 8 E. 2nd Me. Indiana

when set Post ca. to Sec. 576 from which
a Beech 10 in. diam. bears N 26 W 10th dist. &
a Do 10 " " " S 41 E 23 " "
Land rolling 2nd Nat. Timber Beech. Sugar.
ash. Hickory. Oak. & Spruce. Hemlock &c.

West Between Sec. 6 & 7

1.60 a Beech 15 in. diam.

40.00 Set q. Sec. Post from which
a Beech 18 in. dia. bears N 41 W 10th dist. &
a Sugar 24 " " " S 39 E 37 " "

46.58 a Beech 18 " "

72.76 Enters M. Bound. line 196 W. S. of Post
when set Post ca. to Sec. 6 & 7 from which
a Cherry 12 in. dia. bears N 5 E 10th dist. &
a Hawthorn 11 " " " S 77 W 15 " "
Land level 2nd Nat. — Nov 22nd 1823 —

Meanders of Mississinewa River.

Beginning at Post in West Boundary
on South Side of River thence up Stream

Courses Distances

Remarks—

In Sec. 30—

N 3 E 7.00

at 1.00 a Stream 5 W. wide from S. E.

S 8 E 18.00

N 55 E 10.50

S 61 E 7.00

O 23 E 23.00

S 10 E 5.00

S 17 N 10.00

S 32 N 9.00

O 21 E 4.00

S 52 E 9.00

S 34 E 7.00

S 17 E 8.00

S 3 N 10.12

To Post in line of Sec. 30 & 31

145
 25 N. - 7 E. 8 E. 2nd Mer. Indiana

43 E	13.50	In Sec. 31
115 E	15.00	
42 W	6.00	
435 W	14.00	
114 W	26.50	2.00 at Brand 5 th wide from W.
45 W	7.92	To Post in South Boundary line -

Meanders of Mississinewa River
 Beginning at Post in West Boundary
 on North Side of River, thence up Stream -

Courses	Distances	Remarks
N 85 E	21.20	In Sec. 30 -
N 67 E	4.20	To Post in line of Secs 19 & 30 -
N 70 E	4.00	In Sec. 19 -
S 61 E	6.19	To Post in line of Secs 19 & 30 -
S 22 E	22.00	In Sec. 30 again, at 4.00 a Stream 5 th wide from E
S 5 E	19.00	
S 36 W	7.00	at .50 a Stream 15 th wide from S -
S 20 E	5.00	
S 37 E	16.00	
S 6 E	19.00	To Post in line of Secs 30 & 31
S 1 E	10.00	In Sec. 31 - at 5.00 a Stream 5 th wide from E. Can.
S 10 E	23.00	
S 24 W	18.00	
S 13 W	25.00	at 18.00 a Stream 30 th wide from E -
S 7 W	6.39	To Post in S. Boundary line -

December 2nd 1823 Surveyed by
 John Wendricks C.S.

T. 25 N. - R. 8 E. 2nd Mer. Indiana

I certify that the foregoing transcripts of the Field Notes of Township 25 North, in Range 8 East of the 2nd Meridian, in Indiana, has been compared with the original in this office, and found to be correct.

Surveyor General's Office,
Indianapolis. Nov. 11th 1843

William Johnston
Sur. Genl.